

# الملف التعريفي Company Profile




البواردي لمواد البناء  
ALBAWARDI BUILDING MATERIALS



البواردي لمواد البناء  
ALBAWARDI BUILDING MATERIALS





اليوم، تبرز شركة البواردي لمواد البناء كمزود الخيار الأول لقطاع البناء في المملكة، قطاع يشهد نمواً مستمراً وقوياً. طموحنا لا يقف عند حدود المملكة فحسب، بل نسعى لتوسيع بصمتنا عبر الشرق الأوسط.

مخزوننا المتنوع يتجاوز الـ ٤٠٠٠ منتج عالي الجودة وبأسعار تنافسية، يشمل منتجات متنوعة من الحديد الإنشائي بأنواعه واختلاف أحجامه إلى الأنابيب والألمنيوم والحديد المقاوم للصدأ.

قصتنا تجسد رحلة استثنائية متجذرة في تاريخها ومتطلعة دوماً إلى مستقبل مشرق ومزدهر. إنها سيرة حافلة بالتطور والتميز، حيث ننسج من الالتزام والجودة قصة عريقة ترتقي بكل خطوة نحو آفاق جديدة. في كل لحظة من مسيرتنا، نحن نعيد تشكيل معالم الصناعة، محققين ريادة مستمرة وأثراً يدوم عبر الزمن.

مع تزايد الفرص الاقتصادية، رفعنا طموحاتنا ووسعنا مجموعة منتجاتنا لتلبية الاحتياجات المتنامية لقطاع البناء. التزامنا الدائم نحو الجودة لا يتزعزع، حيث نضمن توافق كل عنصر في مخزوننا مع المعايير الدولية الصارمة.

لدعم مجموعتنا المتسعة من المنتجات، أسسنا فريقاً متخصصاً من المهندسين وخبراء المبيعات، الذين يتمتعون بخبرة واسعة في القطاعات الصناعية والإنشائية والتجارية.

هذا التحول الاستراتيجي قادنا إلى مرحلة من النمو المتواصل، واليوم نحن نفخر بكوننا واحداً من أبرز مزودي مواد البناء في المنطقة. تمتد شبكتنا لتغطي الأسواق الرئيسية في المملكة، مدعومة ببنية تحتية لوجستية متطورة تضمن كفاءة التشغيل ورضا العملاء الذي هو من أولوياتنا. نحن نعتز بصمتنا التي بنيت على معايير التميز المعترف بها وتركيزنا المستمر على احتياجات العملاء.



لمحة عنا

تأسست شركة البواردي لمواد البناء في عام ١٩٥٧، امتداداً بتاريخها العريق وتراثها الغني، ومنذ ذلك الحين، تحولت من كيان تجاري عائلي إلى ركن أساسي في قطاع البناء بالمملكة العربية السعودية. تزامن نمونا مع الأزدهار الاقتصادي والتطورات البنيوية الكبيرة التي شهدتها المملكة، مما عكس الدور الفعّال الذي تبنيناه في هذه النهضة.

إحدى الركائز  
الأساسية في  
قطاع البناء في  
السعودية  
منذ عام ١٩٥٧



# A Key Player in Saudi Arabia's Construction Sector Since 1957

## CORPORATE OVERVIEW



Rooted in a rich heritage, Albawardi Building Materials, established in 1957, has evolved from a family-run general trading hub into a cornerstone of Saudi Arabia's booming construction sector. In our early years, our growth has paralleled the Kingdom's remarkable economic & infrastructural development, reflecting our integral role in this transformation.

As the construction sector experienced exponential growth, so did BBM. Seizing buoyant economic opportunities, we expanded our offerings to meet the construction requirements. Our commitment has always been to quality, ensuring every item in our inventory meets stringent international standards.

To support our expanding product range, we've built a team of qualified engineers and sales professionals, specializing in industrial, construction, & commercial sectors.

This strategic evolution has fueled a period of sustained growth, establishing us as one of the leading building materials stockist in Saudi Arabia. Our Kingdom-wide distribution network spans major commercial centers in all of the region, supported by a logistical infrastructure


optimized for operational efficiency and unmatched customer satisfaction. We take pride in our reputation, underpinned by recognized standards of excellence and a customer-centric approach.

Today, Albawardi Building Materials stands as the supplier of choice to Saudi Arabia's construction industry, a sector where vigorous growth continues. BBM's diverse inventory exceeds 4,000 high-quality, price-competitive products, ranging from various categories of structural and construction steel to metals, tubes, pipes, aluminum, and stainless sheets.

BBM's story is one of growth, quality, and commitment to the future. With a well-established reputation and a comprehensive product range, BBM is poised to support the dynamic market needs well into the future.




الحديد التجاري  
والإنشائي  
Structural &  
Industrial Steel




الجسور والمقاطع  
Beams & Sections




القطاعات المفرغة  
Hollow Sections



مجاري حديد  
Steel Channels



الزوايا والحديد المبسط  
Mild Steel Angles & Bars



صفائح  
Flat Products



مواد أخرى متنوعة  
Miscellaneous Items

## Beams & Sections

## الجبور والمقاطع



PRODUCT	TYPE	DIMENSIONS	LENGTH*
European I Beams	IPE, IPN	80mm - 600mm	6m - 12m
European Wide Beams	HEA, HEB	100mm - 1000mm	6m - 12m
British Universal Beams	UB	127mm - 1016mm	6m - 12m
British Universal Columns	UC	152mm - 356mm	6m - 12m
American Wide Flange	W	4" - 44"	6m - 12m
Japanese Beams	I-Beam, H-Beam	100mm - 600mm	6m - 12m
Light European I Beams	IPEAA	80mm - 220mm	6m - 12m

ACCORDING TO: EN 10025 S275JR / S355JR: 1993 / ASTM A36 / A572 GR 50 & GR 65 / ST 44-2 / ST52-3 / JIS G 3101 SS400 - 1995

\*LENGTH: SPECIAL LENGTHS ARE ALSO AVAILABLE ON DEMAND

## Hollow Sections

## القطاعات المفرغة



PRODUCT	TYPE	DIMENSIONS	LENGTH
Square Tubes	□	10 x 10 x 1.2 - 200 x 200 x 10	6m - 12m
Rectangular Tubes	▭	10 x 25 x 1.2 - 200 x 150 x 10	6m - 12m
Round Pipes (Black & Galvanized)	○	1/2" x 1.2 - 8" x 8.18	6m - 12m
Structural Rectangular Hollow	▭	80 x 40 x 5 - 400 x 200 x 16	6m - 12m
Structural Square Hollow	□	50 x 50 x 5 - 400 x 400 x 16	6m - 12m

ACCORDING TO: ASTM A500 GR A & B / EN 10219-2 / ASTM A53 - GR A & B

## Steel Channels

## مباري حديد




PRODUCT	TYPE	DIMENSIONS	LENGTH*
Japanese Standard Channels	U-Channel	40mm - 300mm	6m - 12m
European Standard Channels	UPN	50mm - 400mm	6m - 12m
Channel with Parallel Flanges	UPE	80mm - 240mm	6m - 12m
British Parallel Flange Channel	PFC	100mm - 430mm	6m - 12m

ACCORDING TO: EN 10025 S275JR / S355JR: 1993 / ASTM A36 / A572 GR 50 / ST 44-2 / ST52-3 / JIS G 3101 SS400 - 1995

\*LENGTH: SPECIAL LENGTHS ARE ALSO AVAILABLE ON DEMAND

## Mild Steel Angles & Bars

## الزوايا و الحديد المبسط



PRODUCT	TYPE	DIMENSIONS	LENGTH
Equal Angles	└	20 x 20 x 2 - 250 x 250 x 25	6m - 12m
Unequal Angles	└	40 x 20 x 4 - 200 x 100 x 15	6m - 12m
Flat Bars	—	12 x 3 - 300 x 50	6m - 12m
Square Bars	■	8 x 8 - 60 x 60	6m
Round Bars (CF/HR)	●	6mm - 350mm	6m

ACCORDING TO: EN 10025 S275JR / S355JR: 1993 / ASTM A36 / A572 GR 50 / ST 44-2 / ST52-3 / JIS G 3101 SS400 - 1995



## Flat Products

## صفائح

# 05

PRODUCT	THICKNESS	SHAPES	DIMENSIONS
Hot Rolled Plates	3.0 mm - 150 mm	Plates	1.0 x 2.0 Mtr ; 4 x 8 ft [ 1.22 x 2.44 Mtr ] ; 1.5 x 3.0 & 6.0 Mtr ; 2.0 x 6.0 & 12.0 Mtr ; 2.5 x 6.0 & 12.0 Mtr ; 3.0 x 6.0 & 12.0 Mtr
Hot Rolled (Coils or Sheets)	1.2 mm - 3.0 mm	Sheets	1.0 x 2.0 Mtr ; 4 x 8 ft [ 1.22 x 2.44 Mtr ] ; 1.5 x 3.0 & 6.0 Mtr ; 2.0 x 6.0 Mtr
	4.0 mm - 16.0 mm	Coils	1.0 Mtr ; 4 ft [ 1.22 Mtr ] ; 1.5 Mtr ; 2.0 Mtr
HD Galvanized (Coils or Sheets)	0.30 mm - 4.00 mm	Sheets	1.0 x 2.0 Mtr ; 4 x 8 ft [ 1.22 x 2.44 Mtr ] ; 1.5 x 3.0 & 6.0 Mtr
		Coils	1.0 Mtr ; 4 ft [ 1.22 Mtr ] ; 1.5 Mtr
Cold Rolled (Coils or Sheets)	0.40 mm - 3.00 mm	Sheets	1.0 x 2.0 Mtr ; 4 x 8 ft [ 1.22 x 2.44 Mtr ]
		Coils	1.0 Mtr ; 4 ft [ 1.22 Mtr ]
Electro Galvanized (Coils or Sheets)	0.40 mm - 3.00 mm	Sheets	1.0 x 2.0 Mtr ; 4 x 8 ft [ 1.22 x 2.44 Mtr ]
		Coils	1.0 Mtr ; 4 ft [ 1.22 Mtr ]
AluZinc (Coils or Sheets)	1.0 mm - 2.5 mm	Sheets	4 x 8 ft [ 1.22 x 2.44 Mtr ] ; 1.5 x 3.0 & 6.0 Mtr
		Coils	4 ft [ 1.22 Mtr ] ; 1.5 Mtr
PPGI (Coils or Corrugated Sheets)	0.30 mm - 1.0 mm	Sheets	1.0 Mtr Width ( Net Covering ) x 1.0 Mtr Length Up To 12.0 Mtr
		Coils	1.22 mm

### HOT ROLLED PRODUCTS:

ASTM A36 ; A285 GRADE C ; A285 GRADE A ; A516 GRADE 60 & 70 ; A572 TYPE I & II GRADE 50 ; DIN 17100 ST 372 & ST 44-2 ; EN 110025 , S235JR , S275JR , S355JR & S355J2

### GALVANIZED, ELECTRO GALVANIZED & PPGI PRODUCTS ACCORDING TO:

ASTM A 653 (G90, 60, 40) / EN10142 DX51D / JIS G3502 94 SGCC / SGHC

### COLD ROLLED PRODUCTS ACCORDING TO:

EN10150 FEPP01 / DIN 1625 ST12.3 / JIS 5141 SPCC

### ALUZINC PRODUCTS ACCORDING TO:

ASTM A792M/EN10215 DX1D,AZ150

\*\* OTHER STANDARDS ARE AVAILABLE ON DEMAND

## Miscellaneous Items

## مواد أخرى متنوعة

# 06

PRODUCT	THICKNESS	DIMENSIONS
Gratings & Stair Treads	3mm - 5mm	1000mm up to 6000 mm

\*\* GALVANIZED AS WELL AS IN BLACK STEEL FINISHES



مواد البناء  
Building Materials



حديد التسليح المجدول  
Steel Rebar



شبكة صييات للأرضيات  
Welded Wire Mesh



عازل حراري للإنشاءات  
Thermal Insulations



سلك تـربيط  
Tie Wires



## Steel Rebar

## حديد التسليح المجدول



PRODUCT	GRADE / STANDARD	SIZES
Deformed & Plain Rebar Steel	ASTM A615/Grade 40-60	6mm-40mm
Epoxy Coated Rebar Steel	ASTM A775/Grade 60-80	6mm-40mm
Cut & Bend Steel	Bending as per BS4449, ACl and Saudi Standards codes	6mm-40mm

Available in Black & Epoxy Coated Steel finish

## Welded Wire Mesh

## شبكة صبيات للأرضيات




PRODUCT	GRADE / STANDARD	Sizes
Welded Wire Mesh	BS4483, ASTM A185 & 497, DIN 488 Standards Yield Strength - 500 N/mm <sup>2</sup>	4mm-10mm

Available in Black & Epoxy Coated Steel finish

## Thermal Insulations

## عازل حراري للإنشاءات



PRODUCT	STANDARD	Sizes
Insulation	Insulation Fiberglass Roll	1.0" & 2.0" 1100mm , 1500mm width. 20, 25 MTR Length


## Tie Wires

## أسلاك تربيطة




PRODUCT	GRADE / STANDARD	SIZES
GI Binding Wire	JIS STANDARD	BWG 10 to 22

# حلول الأساسات Foundation Solutions



قطاعات حديدية لتثبيت التربة  
Steel Sheet Piles



مواسير حديدية ملحومة حلزونية  
Spirally Welded Tubular Piles




دعامات حديدية لحفر الأنفاق  
Trench Boxes



## Steel Sheet Piles

## قطاعات حديدية لتثبيت التربة



PRODUCT	TYPE	DIMENSIONS	LENGTH
Sheet Pile	SX 18	600mm x 13.4mm	12 - 20 MTR
Sheet Pile	AU25	750mm x 14.50mm	12 - 20 MTR
Sheet Pile	AU20	750mm x 12mm	12 - 20 MTR
Sheet Pile	ZU25	750mm x 14.5mm	12 - 20 MTR

## Trench Boxes


## دعامات حديدية لحفر الأنفاق



PRODUCT	TYPE	DIMENSIONS
Trench Box	HD	4x2.4 M x 10 cm
Trench Box	HD	4x3 M x 10 cm
Trench Box	HD	4x4 M x 10 cm

## Spirally Welded Tubular Piles

## مواسير حديدية ملحومة حلزونياً



PRODUCT	TYPE	DIMENSIONS	LENGTH
Piping Pile	SSAW	16-100inch x 6-25.4mm	6 - 36 MTR
Water Pipeline	HSAW / SSAW	16-100inch x 6-25.4mm	6 - 36 MTR



# فروعنا Our Branches

## المنطقة الشرقية EASTERN PROVINCE

### الدمام Dammam

Dammam - Main Head Office

Tel: (013) 833 3333

Tel: (013) 833 5555

### المستودع الرئيسي Central Warehouse

Tel: (013) 857 2129

Ext. 239 - 241

### طريق أبو حدرية Abu Hadriyah Road

Tel: (013) 821 0832

Tel: (013) 822 2370

### الخطربة Alkhodariah

Tel: (013) 839 1416

### الخبـر Al - Khobar

Thoqba Area

Tel: (013) 899 9153

### الجبيل - الصناعية العريفي Jubail - Al Areifi Industrial zone

Tel: (013) 362 0542

### حفر الباطن Hafr Albatn

Mobile: 054 090 5119

## المنطقة الوسطى CENTRAL PROVINCE

### الرياض Riyadh

Central Warehouse

Tel: (011) 810 4416

Ind. Area Branch

Mobile: 050 316 4140

## المنطقة الغربية WESTERN PROVINCE

### جدة Jeddah

Main Branch

Tel: (012) 216 1111

Central Warehouse

Mobile: 056 066 0915

### تواصل معنا عبر الإيميل EMAIL US

sales@albawardiibm.com







البواردي لمواد البناء  
ALBAWARDI BUILDING MATERIALS



للتواصل ولمزيد من المعلومات  
Connect & Learn More

**in** Albawardi Building Materials  
albawardibm.com  
+966 13 833 5555  
sales@albawardibm.com

EMAA7379  
7379 9th street, Al Amamrah Dist  
Dammam, 32415  
Kingdom of Saudi Arabia